

State of California  
AIR RESOURCES BOARD

EXECUTIVE ORDER A-3-183  
Relating to Certification of New Motor Vehicles

DAIMLER-BENZ AG

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1999 model-year Daimler-Benz AG exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Diesel

Engine Family: XMBXV03.ODTO Displacement: 3.0 Liters (183 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Indirect Fuel Injection  
Turbocharger  
Charge Air Cooler  
Exhaust Gas Recirculation  
Oxidation Catalytic Converter

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

<u>Miles</u>	<u>Non-Methane Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>	<u>Particulates</u>
50,000	n/a	n/a	n/a	0.08
100,000	0.31	4.2	1.0	n/a

The certification exhaust emission values for this engine family in grams per mile are:

<u>Miles</u>	<u>Non-Methane Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>	<u>Particulates</u>
50,000	n/a	n/a	n/a	0.08
100,000	0.02	0.2	0.8	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average non-methane organic gases (NMOG) exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).


BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 24<sup>th</sup> day of July 1998.

  
for R. B. Summerfield, Chief  
Mobile Source Operations Division

E. O. # A-3-183Page 1 of 1

**1999 MODEL-YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET  
PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES**

Manufacturer: Daimler-Benz Exh. Eng Family: XMBXV03.0D TO Evap. Family: N/A  
 All Eng Codes in Eng Fam: CA 49S 50S X AB965 ORVR Yes No X  
 Exh Std: CA Tier-1 X TLEV LEV ULEV SULEV US EPA Tier-1 X  
 Veh Class(es): PC X LDT1 LDT2 MDV1 MDV2 MDV3 MDV4 MDV5  
 Single Cert Std for Multi-Class Eng Fam: N/A (specify: N/A, LDT1, MDV1, MDV2, MDV3, MDV4)  
 Fuel Type(s): Dedicated X Flex-Fuel Dual-Fuel Bi-Fuel Gasoline Diesel X  
                   CNG LNG LPG M85 Other (specify)  
 Exh. Emiss Test Fuel(s): Indo CBG CNG LPG M85 Other (specify)  
                                 Diesel: 13 CCR 2282 X 40 CFR 86.113-90 40 CFR 86.113-94  
 Evaporative Emission Test Procedure: California Federal  
 Service Accum: Std AMA X Mod AMA Mfr ADP Other (specify)  
 NMOG Test Procedure: N/A X Std Equiv R/L Test Proc. SHED Pt Source  
 Engine Configuration: L-6 Displacement: 3.0 Liters 183 Cubic Inches  
 Valves per Cylinder: 4 Rated HP: 174 / 4400 RPM  
 Engine: Front X Mid Rear Drive: FWD RWD X 4WD-FT 4WD-PT  
 Exhaust ECS (eg., MFI, EGR, TC, CAC): IFI / TC / CAC / EGR / OC

(use abbreviations per SAE J1930 JUN93)

Engine Code (also list CA/49ST/50ST)	Vehicle Models (if coded see attachment)	Trans. Type (A 4, M 5 etc)	ETW or TestWt	DPA or RLHP	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalytic Converter Part No.
OM606 TC	E 300 (Turbodiesel)	L 5	4 000	6.5	A 024 545 55 32	A 606 090 01 54	A 210 490 84 19

Date Issued:

Revisions: